


Series: COLD LINE
Model: SNC4 - 1000

DIMENSIONS	L	P	H
Overall dimensions	800	1.200	1.810
Outside dim. box only	800	1.200	1.700
Inside dimensions	660	1.060	1.560
Capacity liters	520	+ 520	
Box weight kilos (approx)	120		
Doors' opening	180/270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE 3 iron zinc plated supports




Series: COLD LINE
Model: STD2 - 1000

DIMENSIONS	L	P	H
Overall dimensions	780	1.200	1.880
Outside dim. box only	750	1.185	1.750
Inside dimensions	610	1.050	1.610
Capacity liters	1.031		
Box weight kilos (approx)	150		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	60	65

BASE iron zinc plated pallet




Series: COLD LINE
Model: STD2 - 1700

DIMENSIONS	L	P	H
Overall dimensions	1.000	1.410	1.880
Outside dim. box only	990	1.400	1.750
Inside dimensions	850	1.265	1.610
Capacity liters	1.731		
Box weight kilos (approx)	185		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	60	65

BASE iron zinc plated pallet




Series: COLD LINE
Model: SNC5 - 550

DIMENSIONS	L	P	H
Overall dimensions	760	750	1.750
Outside dim. box only	750	750	1.600
Inside dimensions	610	610	1.460
Capacity liters	543		
Box weight kilos (approx)	110		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE iron zinc plated pallet




Series: COLD LINE
Model: SNC5 - 685

DIMENSIONS	L	P	H
Overall dimensions	920	750	1.620
Outside dim. box only	910	750	1.600
Inside dimensions	770	610	1.460
Capacity liters	686		
Box weight kilos (approx)	120		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE 2 stainless steel flats




Series: COLD LINE
Model: SNC6 - 2000

DIMENSIONS	L	P	H
Overall dimensions	1.560	1.185	1.600
Outside dim. box only	1.560	1.185	1.580
Inside dimensions	1.420	1.045	1.440
Capacity liters	2.137		
Box weight kilos (approx)	260		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70
Inside wall thickness	2,5	65	70

BASE 3 stainless steel flats

Series: COLD LINE
Model: SCA1 - 845




DIMENSIONS	L	P	H
Overall dimensions	940	1.240	1.110
Outside dim. box only	940	1.240	1.100
Inside dimensions	800	1.100	960
Capacity liters	845		
Box weight kilos (approx)	90		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE 3 stainless steel supports or flats

Series: COLD LINE
Model: RAP1 - 450




DIMENSIONS	L	P	H
Overall dimensions	1.350	790	870
Outside dim. box only	1.350	790	870
Inside dimensions	1.150	590	670
Capacity liters	455		
Box weight kilos (approx)	115		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	5,0	90	100
Doors thicknesses	5,0	90	100

BASE


Series: COCKER
Model: LCA1 - 75



DIMENSIONS	L	P	H
Overall dimensions	704	464	454
Outside dim. box only	700	460	450
Inside dimensions	600	360	350
Capacity liters	76		
Box weight kilos (approx)	20		
Doors' opening	90°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50
Doors thicknesses	2,5	45	50

BASE 3 stainless steel supports



Series: **COCKER**
Model: **LCA1 - 15 VV**

DIMENSIONS	L	P	H
Overall dimensions	365	225	385
Outside dim. box only	365	225	385
Inside dimensions	303	163	295
Capacity liters	15		
Box weight kilos (approx)	4		
Removable cover			

THICKNESSES	GRP	PUR	TOTAL
Cover thicknesses	1,5	32	35
Floor thicknesses	1,5	52	55
Walls thicknesses	1,5	28	31

VV : container with adjustable inside volume
(registered model)

Series: **COCKER**
Model: **LCA2 - 125D**

DIMENSIONS	L	P	H
Overall dimensions	720	730	460
Outside dim. box only	700	700	460
Inside dimensions	600	650	360
Capacity liters	140		
Box weight kilos (approx)	24		

CLOSE: container look



THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50


Series: **COCKER**
Model: **LCA2 - 125D**

DIMENSIONS	HP	HA
Overall dimensions	305	155
Outside dim. box only	300	150
Inside dimensions	250	100
Capacity liters	70 each exhibitor	
Box weight kilos (approx)	12 each exhibitor	

OPEN: exhibitor look

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50






Series: COLD LINE
Model: STD2 - 1000

DIMENSIONS	L	P	H
Overall dimensions	780	1.200	1.880
Outside dim. box only	750	1.185	1.750
Inside dimensions	610	1.050	1.610
Capacity liters	1.031		
Box weight kilos (apprc)	140		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	60	65

BASE




Series: COLD LINE
Model: STD2 - 750

DIMENSIONS	L	P	H
Overall dimensions	780	1.200	1.430
Outside dim. box only	750	1.185	1.300
Inside dimensions	610	1.050	1.160
Capacity liters	743		
Box weight kilos (apprc)	130		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	60	65

BASE iron zinc plated pallet




Series: COLD LINE
Model: STD2 - 1200

DIMENSIONS	L	P	H
Overall dimensions	780	1.200	2.130
Outside dim. box only	750	1.185	2.000
Inside dimensions	610	1.050	1.860
Capacity liters	1.191		
Box weight kilos (apprc)	160		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	60	65

BASE iron zinc plated pallet




Series: COLD LINE
Model: STD2 - 3270

DIMENSIONS	L	P	H
Overall dimensions	2.000	1.200	1.930
Outside dim. box only	2.000	1.200	1.800
Inside dimensions	1.860	1.060	1.660
Capacity liters	3.273		
Box weight kilos (apprc)	300		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE




Series: COLD LINE
Model: SNC2 - 1200

DIMENSIONS	L	P	H
Overall dimensions	1.050	1.645	1.050
Outside dim. box only	1.040	1.640	1.040
Inside dimensions	900	1.500	900
Capacity liters	1.215		
Box weight kilos (apprc)	150		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE




Series: COLD LINE
Model: SCA1 - 780

DIMENSIONS	L	P	H
Overall dimensions	1.100	1.250	1.000
Outside dim. box only	1.050	1.200	950
Inside dimensions	910	1.060	810
Capacity liters	781		
Box weight kilos (apprc)	90		
Doors' opening	180°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Doors thicknesses	2,5	65	70

BASE




Series: **COCKER**
Model: **SCA1 - 80 VV**

DIMENSIONS	L	P	H
Overall dimensions	860	510	430
Outside dim. box only	860	510	430
Inside dimensions	720	390	290
Capacity liters	81		
Box weight kilos (apprc)	20		
Removable cover			

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	65	70
Cover thicknesses	2,5	45	50

VV : container with adjustable inside volume
 (registered model)

Series: **COCKER**
Model: **LCA1 - 10 VV**




DIMENSIONS	L	P	H
Overall dimensions			
Outside dim. box only	250	250	385
Inside dimensions	188	188	295
Capacity liters	10		
Box weight kilos (apprc)	3,7		
Removable cover			

THICKNESSES	GRP	PUR	TOTAL
Cover thicknesses	1,5	32	35
Floor thicknesses	1,5	52	55
Walls thicknesses	1,5	28	31


VV : container with adjustable inside volume
 (registered model)

Series: **COCKER**
Model: **LCA1 - 50**



DIMENSIONS	L	P	H
Overall dimensions	620	410	400
Outside dim. box only	600	400	400
Inside dimensions	500	300	300
Capacity liters	45		
Box weight kilos (apprc)	10		
Removable cover			

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50
Cover thicknesses	2,5	45	50




Series: COLD LINE
Model: LCA1 - 220 Milk

DIMENSIONS	L	P	H
Overall dimensions	820	630	760
Outside dim. box only	840	600	700
Inside dimensions	740	500	600
Capacity liters	222		
Box weight kilos (apprc)	40		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50
Cover thicknesses	2,5	45	50

BASE 3 stainless steel supports



Series: COLD LINE
Model: LCA1 - 120 Milk

DIMENSIONS	L	P	H
Overall dimensions	620	510	775
Outside dim. box only	600	480	715
Inside dimensions	500	380	615
Capacity liters	117		
Box weight kilos (apprc)	30		
Doors' opening	270°		

THICKNESSES	GRP	PUR	TOTAL
Panels thicknesses	2,5	45	50
Cover thicknesses	2,5	45	50

BASE 3 stainless steel supports